


#### **DATASHEET**

# XS4 Com iGO

XS4 Com iGO is the hardware-free solution that turns the resident's and visitor's mobile phones into an Intercom device. The QR codebased version can be offered as a plate or sticker to be mounted on/ glued to the entrance of a building.

Enabled with NFC technology. Secured by Geofencing.













# XS4 Com iGO | Plate

#### **TECHNICAL DATA:**

QR code  $^{(1)}$  & NFC tag $^{(2)}$  with ferrite to work on metal

Size: 101,6 (4") x 152.4(6")

1mm Vandalism proof & UV polycarbonate film with 2mm Expanded PVC

Braille text of the information included on the plate

QR code reading distance: up to 1 meter

NFC tag reading: less than 1 cm


#### **LANGUAGE OPTIONS**

English	•
German	•
French	•
Dutch	•
Spanish	•

## FINISH:

Black

#### **TECHNICAL DRAWING:**



#### **SALTO ACCESS CONTROL PLATFORMS:**

Space	_
KS	•
Homelok	•

<sup>&</sup>lt;sup>1</sup>Salto Space. On-premise access control platform

# XS4 Com iGO | Sticker (on metal)

# **TECHNICAL DATA:**

QR code & NFC tag (NTAG213) with ferrite to work on metal

Size: 110 (4.33") x 50(2")

0.5mm Vandalism proof & UV film

QR code reading distance: up to 0.75 meter

NFC tag reading: less than 1 cm


### LANGUAGE OPTIONS

English	•
German	•
French	•
Dutch	•
Spanish	•

#### FINISH:

Black •

# TECHNICAL DRAWING:



# **SALTO ACCESS CONTROL PLATFORMS:**

Space	— <sub>1</sub>
KS	•
Homelok	•

<sup>&</sup>lt;sup>1</sup>Salto Space. On-premise access control platform

 $<sup>^{(1)}</sup>$  QR Code Model 2 / Erroer Correction Level M

<sup>&</sup>lt;sup>(2)</sup> NTAG213: Standard NFC tag ISO/IEC14443

<sup>&</sup>lt;sup>2</sup> Salto KS. Cloud-based access control platform

<sup>&</sup>lt;sup>3</sup> Salto Homelok. Cloud-based access control platform

<sup>(1)</sup> QR Code Model 2 / Erroer Correction Level M

<sup>(2)</sup> NTAG213: Standard NFC tag ISO/IEC14443

<sup>&</sup>lt;sup>2</sup> Salto KS. Cloud-based access control platform

<sup>&</sup>lt;sup>3</sup> Salto Homelok. Cloud-based access control platform



# XS4 Com iG0 | Sticker (behind glass)

# TECHNICAL DATA:

QR code (1)
Size: 110 (4.33") x 50(2")
3M Glue front side
With bright PET film
QR code reading distance: up to 0.75 meter

<sup>(1)</sup> QR Code Model 2 / Erroer Correction Level M


## **LANGUAGE OPTIONS**

English	•
German	•
French	•
Dutch	•
Spanish	•

#### FINISH:

Black
-------

# **TECHNICAL DRAWING:**



# SALTO ACCESS CONTROL PLATFORMS:

Space	
KS	•
Homelok	•

<sup>&</sup>lt;sup>1</sup>Salto Space. On-premise access control platform

<sup>&</sup>lt;sup>2</sup> Salto KS. Cloud-based access control platform

 $<sup>^{\</sup>rm 3}\mbox{Salto}$  Homelok. Cloud-based access control platform




# Salto Systems

Get in touch with our team.

Give us a brief summary of your needs, your next project and we'll get back to you.

Spain, UK, France, Germany, Switzerland, The Netherlands, Belgium, Poland, Slovakia, Slovenia, Czech Republic, Denmark, Norway, Sweden, Finland, Italy, Portugal, US (NYC - Atlanta - LV), Canada, Mexico, Costa Rica, Colombia, Puerto Rico, Chile, UAE, India, South Africa, Singapore, China, Hong Kong, Korea, Vietnam, Australia, New Zealand.



TECHNICAL SPECIFICATIONS - DATASHEET-XS4COM-IGO-ENG-10-24

\_

Copyright © 2024 Salto Systems

Salto Systems reserves the right to modify technical specifications, designs and performance without notice.